

**COSIG Co-Occurring Clinical Competency
Module 8: Assessment of Co-Occurring Disorders
Post-Test**

Name: _____ Date: _____

1. An important step in the assessment of individuals with co-occurring disorders includes identifying and contacting collateral sources.
 - a. True
 - b. False

2. The detection of acute conditions is a necessary step in the assessment of co-occurring disorders. Safety risks to be assessed include:
 - a. Danger to self and/or others
 - b. Potential for dangerous withdrawal symptoms
 - c. Medical safety—capacity for self care
 - d. High-risk behaviors
 - e. Cognitive and/or learning deficits
 - f. Past and present trauma or victimization
 - g. All of the above

3. The ASAM Criteria is the Addiction equivalent of Mental Health's LOCUS.
 - a. True
 - b. False

4. A determination of functional impairment and disability is made over time and is not part of the initial assessment.
 - a. True
 - b. False

5. Initial Diagnosis is mainly determined by:
 - a. History
 - b. Current symptoms
 - c. Prior diagnoses

6. Identification of strengths should include previous successful treatment experiences.
 - a. True
 - b. False

7. A culturally competent assessment includes identifying the client's perception of barriers to treatment.
 - a. True
 - b. False

8. The client's motivation to treatment and willingness to change is not part of the initial assessment.
 - a. True
 - b. False